

Procedure for Sign Language Video Remote Interpreting (VRI) in Zoom

For Attorneys, Litigants, Interpreters*, members of the public including people who are Deaf, and Hard of Hearing

Join a scheduled Zoom meeting, wait for Host to admit you into meeting

Please reference this document for further instruction - "How to Join and Participate in a Zoom Virtual Courtroom"

All participants should be labeled appropriately (Role, Name), please contact the Host if further assistance is needed

i.e: Attorney – Juan Lopez, ASL Interpreter – John Blue, Judge – Hon. Jane Smith, CDI Interpreter – Stan Ng

Rename yourself to your title - First Name OR contact the Host for assistance

Multi-pin**

Tap the right arrow to display the next group of participants on the screen, also tap the left arrow to display the previous set. Multi-pin the participants needed from the list of participants available, use the instructions below by your equipment Multi-pin feature available currently only for PC (Laptops)/Mac/Apple iOS

Multi-pin feature currently unavailable on Android devices, Chromebooks, iPhones

If multipin option is not available, single-pin will only be available

Participants who require sign language interpretation should select and pin the Certified Deaf Interpreter

Breakout room

If placed in a Breakout room, you will need to pin the participants again

Once moved back to the main room, you will again need to pin the participants

NOTE: Screen freezing or interrupted video/audio may occur, if it does please notify someone in the call immediately. NOTE: Courts may provide additional IT support if necessary. Contact the Host of the meeting to request support. Technical Note: Ensure that ISP or network connection you have is stable and can handle videoconference calls

*There are minimum technical requirements included in <u>"How to Join and Participate in a Zoom Virtual Courtroom"</u>

**Staff at the County Jail are responsible to set the required participant view for the defendant who is Deaf using the Zoom multi-pin feature.



For PC or Mac

Pin the appropriate participant in view

Right click on the participant and select pin, multiple participants can be pinned



To Cancel a Pin

Click Remove Pin in the upper left corner of any video pinned currently

For Apple iOS Device

Swipe left to enter to Gallery View

Double tap the video of the participant you want to pin

To Cancel a Pin

Double-tap the pinned participant

This will return the meeting to Active Speaker View





Entering/Leaving Breakout Rooms

When the host places you in a breakout room, Joining Breakout Room prompt will display



After joining a breakout room you will see all the participants in the room

Pin all participants necessary participants

Requests for help

If someone "asks for help"

A Host will join the Breakout Room if necessary

Participants in breakout rooms can request that the meeting host join their meeting by clicking Ask for Help 🕐



Return to the Main Meeting

A host is required to move you out of the Breakout room and to the main meeting room



Minimum Technical Requirements for Sign Language Video Remote Interpreting (VRI) for Zoom

- Devices Recommended:
 - Laptop
 - iPad OS v13 or later; 11 inch or larger screen
- Devices Not Recommended:
 - Android Tablet OS *Multi-pin not supported on Android
 - Google Chromebook *Multi-pin not supported on Android
 - Cell Phones *Screen may not be large enough
 - iOS 13 or later *Screen may not be large enough
 - Android 8.0x or later *Multi-pin not supported on Android
- Zoom Version: Latest version
- Hardware specifications:
 - PC Intel processor 6th Generation 3.X GHz or faster
 - PC AMD processors Bulldozer series 3.X GHz or faster
 - Mac with Intel 6th Generation processor SKYLAKE or later
 - 4GB of RAM or more
- Operating systems:
 - Windows 10 (32 and 64 bit)
 - Mac OS X version 10.10 (Yosemite) or higher, Intel CPU only
- Speakers or Headphones

•

- Webcam with Microphone OR integrated camera with microphone
- Network:
 - 100 MBit NIC or higher
 - High speed broadband Internet access, hardwired strongly encouraged
 - Minimum of 5 Mbps upstream and 5 Mbps downstream
 - Speed Test sites
 - <u>http://openspeedtest.com/</u> OR <u>http://www.speedtest.net/</u>
 - Firewall Ports open
 - Inbound/Outbound TCP: 80, 443, 8801, 8802
 - Inbound/ Outbound UDP: 3478, 3479, 8801 8810